


# 3-Circuit DALI Track System

Order Sheet



**LIGHT FORMS**

Track

| Description          | Image   | Profile  | Dimension   | Product               | Code        | Finish      | Web Link             | Qty |
|----------------------|---|--|-------------|-----------------------|-------------|-------------|----------------------|-----|
| Track                |    |   | 1000        | 1 Metre 3C DALI Track | PRO 0610 S  | Grey/Silver | <a href="#">LINK</a> |     |
| Track                |    |   | 2000        | 2 Metre 3C DALI Track | PRO 0620 S  | Grey/Silver | <a href="#">LINK</a> |     |
| Track                |   |  | 3000        | 3 Metre 3C DALI Track | PRO 0630 S  | Grey/Silver | <a href="#">LINK</a> |     |
| Connector            |  |  | 98.5 x 35.2 | Connector Left        | PRO D631L S | Grey/Silver | <a href="#">LINK</a> |     |
| Connector            |  |  | 98.5 x 35.2 | Connector Right       | PRO D631R S | Grey/Silver | <a href="#">LINK</a> |     |
| Coupler              |  |  | 68 x 20.5   | Coupler               | PRO D633 S  | Grey/Silver | <a href="#">LINK</a> |     |
| Coupler (Insulation) |  |  | 66.4 x 20   | Coupler               | PRO 0433A S | Grey/Silver | <a href="#">LINK</a> |     |
| Middle Connector     |  |  | 166 x 35.2  | Middle Connector      | PRO D634 S  | Grey/Silver | <a href="#">LINK</a> |     |

# 3-Circuit DALI Track System

LIGHT FORMS

| Description                 | Image   | Profile | Dimension                         | Product                     | Code            | Finish          | Web Link             | Qty |
|-----------------------------|---|---------|-----------------------------------|-----------------------------|-----------------|-----------------|----------------------|-----|
| End Cap                     |    |         | 31.3 x 31.3                       | End-Cap                     | PRO 0432 S      | Grey/<br>Silver | <a href="#">LINK</a> |     |
| Flexible Connector          |    |         | 182 x 248.6                       | Flexible Connector          | PRO D639 S      | Grey/<br>Silver | <a href="#">LINK</a> |     |
| Adjustable Connector        |    |         | 161.5 x 35.2<br>x 228             | Adjustable Connector        | PRO MD635<br>S  | Grey/<br>Silver | <a href="#">LINK</a> |     |
| X Connector                 |   |         | 166.2 x<br>166.2 x 99.6<br>x 99.6 | X Connector                 | PRO D637<br>S   | Grey/<br>Silver | <a href="#">LINK</a> |     |
| Twisted L Connector L and R |  |         | 100.7 x<br>100.7 x 67.4<br>x 67.  | Twisted L Connector L and R | PRO M438<br>S   | Grey/<br>Silver | <a href="#">LINK</a> |     |
| Twisted T Connector L1 → L2 |  |         | 166.1 x<br>100.7 x 99.5<br>x 67.4 | Twisted T Connector L1 → L2 | PRO<br>MD436L S | Grey/<br>Silver | <a href="#">LINK</a> |     |
| Twisted T Connector R1 → R2 |  |         | 166.1 x<br>100.7 x 99.5<br>x 67.4 | Twisted T Connector R1 → R2 | PRO<br>MD436R S | Grey/<br>Silver | <a href="#">LINK</a> |     |
| L Connector Left            |  |         | 100.7 x<br>100.7 x 67.4<br>x 67.  | L Connector Left            | PRO D635L<br>S  | Grey/<br>Silver | <a href="#">LINK</a> |     |

# 3-Circuit DALI Track System

LIGHT FORMS

| Description                | Image   | Profile | Dimension                         | Product            | Code         | Finish          | Web Link             | Qty |
|----------------------------|---|---------|-----------------------------------|--------------------|--------------|-----------------|----------------------|-----|
| L Connector Right          |    |         | 100.7 x<br>100.7 x 67.4<br>x 67.  | L Connector Right  | PRO D635R S  | Grey/<br>Silver | <a href="#">LINK</a> |     |
| T Connector Left1          |    |         | 166.1 x<br>100.7 x 99.5<br>x 67.4 | T Connector Left1  | PRO D636L1 S | Grey/<br>Silver | <a href="#">LINK</a> |     |
| T Connector Left2          |    |         | 166.1 x<br>100.7 x 99.5<br>x 67.4 | T Connector Left2  | PRO D636L2 S | Grey/<br>Silver | <a href="#">LINK</a> |     |
| T Connector Right1         |  |         | 166.1 x<br>100.7 x 99.5<br>x 67.4 | T Connector Right1 | PRO-D636R1 S | Grey/<br>Silver | <a href="#">LINK</a> |     |
| T Connector Right2         |  |         | 166.1 x<br>100.7 x 99.5<br>x 67.4 | T Connector Right2 | PRO D636R2 S | Grey/<br>Silver | <a href="#">LINK</a> |     |
| Wire Suspension EZClick 5M |  |         | 59 x 35                           | Wire Suspension    | PRO EZ0449 S | Grey/<br>Silver | <a href="#">LINK</a> |     |